

Bi2 – novelties 2019

Bi2 range and accessories – catalogue 2019

Targets... simplification of the range, focus on efficiency (DC motors), market trend (touch controls)

Choices... eliminate overlaps, rationalize accessory kits and delete dated codes (Chiller / Boiler separate activations)

Bi2 – 2019 range

Fancoil radiators with radiant panel and DC motor




Bi2 SLR Air



Bi2 SLR+



**Bi2 SLR Smart
Inverter**



Bi2 SLI R

Bi2 – 2019 range

Fancoil with DC motor



Bi2 SL Air



Bi2 SL+



**Bi2 SL Smart
Inverter**



Bi2 SLW



Bi2 SLI

Bi2 – 2019 range

Fancoil with AC motor




Bi2 Air ACCESSORIES



TR Touch remote

- Version with on-board touch panel and display
- IR remote as standard
- AB presence contact



TR Touch remote

- Remote connection configuration
- Modbus contact for:
 - Wall control B0736 or
 - BMS remote management



AR Analogic remote

- Version for the remote connection:
 - Wall controls B0151/B0152 (SL version only)
 - 0-10V or 4 contacts management



Bi2+ / Bi2 Smart ACCESSORIES




B0828
B0855 Smart SL motore AC
Factory installed
(not available separately to the Bi2)

- On-board touch panel and display with IR remote
- AB presence contact
- Modbus remote connection:
- Wall control panel B0736
- BMS remote management



B0673
B0659 Smart SL motore AC

- Comando ordinabile anche separatamente
- "slider" selector and buttons
- AB presence contact



B0756
B0707 Smart SL motore AC

- Remote connection for:
- Wall control panel B0151/B0152 (SL only)
- 0-10V or 4 contacts management



Bi2 SLI/SLIR naked ACCESSORIES



B0828

**Kit not available
separately to the Bi2**

- Configuration for remote Modbus connection:
- Wall control B0736 or
- BMS remote connection



B0756

- Remote connection kit for:
- Wall control panel B0151/B0152 (SLI only)
- 0-10V or 4 contacts management



Bi2 SLW wall ACCESSORIES




TR Touch remote

- Version with on-board touch panel and display
- IR remote as standard
- AB presence contact



TR Touch remote

- Remote connection configuration
- Modbus contact for:
 - Wall control B0736 or
 - BMS remote management




AR Analogic remote


- Version for the remote connection:
 - Wall controls B0151/B0152 (SL version only)
 - 0-10V or 4 contacts management




Bi2 ACCESSORIES – electric valve kits



B0832
Two way valve
4 wire actuator




B0834
Three way valve
4 wire actuator



Bi2 ACCESSORIES – electric valve kits

Valve kit with thermoelectric 4 wire cabling:

- limit microswitch
- electric dry contact available for:
 - ✓ remote on/off activation
 - ✓ boiler activation
 - ✓ pump activation




SiOS

SiOS – Integrated Systems Olimpia Splendid

Olimpia Splendid offers a complete and integrated system aimed at comfort and residential well-being.

The system integrates all the components of a modern plant system, planned and designed for high energy class homes.



New BMS – preview

Management and supervision system dedicated to residential and light commercial air conditioning systems.

The system, within the SiOS project, integrates the functionality of all the Olimpia Splendid system components (heat pumps, terminals and VMC) and also manages complementary elements of other suppliers (radiant panels, dehumidifiers, bath radiators).

It responds to the need for integrated management of domestic comfort (via Cloud OS and via the Web too) and energy efficiency.

Heating
Cooling
DHW production
Air handling
Renewable energy sources (Smart Grid, solar e photovoltaic)

New BMS – preview

